





YAMIT
FILTRATION

SITE: WWW.YAMIT-F.COM
E-mail: YAMIT@YAMIT-F.COM
TEL- 972 4 6220006

DWG No 635-02-130-SK-003	SHEET 1 of 4	CAT No 635-02-130-SK-003	REV 01	CREATED DATE 20/01/2019
DESCRIPTION SYSTEM 2*24" GRVL FIL + F130 SKID DIN16 DC 120mi				
CONNECTION FLANGE DIN PN16	CONNECTION THREAD	CONTROLLER DC	DRAWN AviranR	STATUS Approved
WORK PRESSURE UP TO 8 Bar	FLOW RATE m³/h	FILTRATION GRADE 120 mic	SCALE A4 _ 1:14	DIM mm
APPR MARK ADI		APPR MARK DATE -		
APPR ENG ZakayM		APPR ENG DATE 23/01/2019		




YAMIT
FILTRATION

SITE: WWW.YAMIT-F.COM
E-mail: YAMIT@YAMIT-F.COM
TEL- 972 4 6220006

DWG No 635-02-130-SK-003	SHEET 2 of 4	CAT No 635-02-130-SK-003	REV 01	CREATED DATE 20/01/2019
DESCRIPTION SYSTEM 2*24" GRVL FIL + F130 SKID DIN16 DC 120mi				
CONNECTION FLANGE DIN PN16	CONNECTION THREAD	CONTROLLER DC	DRAWN AviranR	STATUS Approved
WORK PRESSURE UP TO 8 Bar	FLOW RATE m³/h	FILTRATION GRADE 120 mic	SCALE A4 _ 1:12	DIM mm
APPR MARK ADI		APPR MARK DATE -		
APPR ENG ZakayM		APPR ENG DATE 23/01/2019		

ITEM NO.	Description	CatalogNo	QTY.
1	SKID F635*2 (3"MAN) RAL 9005	SKD24-02-03	1
2	GRAVEL FIL 24"*2" BSP SKID	F635M-SK1M	2
3	FLUSHING VALVE DOROT 52 2"V*2"V*2"S BSP	4508020203-07-1M	2
4	DOUBLE NIPPLE 2"BSP GALVANIZED	4220200300	4
5	ADAPTER 2"BSP NIPPLE/VIC STEEL PNT	4210200300-P	2
6	QUICK COUPLING 2" MODEL 75	4150102000	6
7	SCREEN FIL F130 3" FL SKID	F130F1-001	1
8	MAN 25 3"FC (1060) + 2*2"V(700) + 2"S + 2*3/4"S	M2503-081	1
9	MAN 25 2"SC (856) + 2*2"V(700) + 1/4"S	M2502-019	1
10	MAN 25 3"CC (800) + 2*2"V(700) + 3"F + 3/4"S	M2503-104	1
11	SET HYDRAULIC VALVE DOROT GAL 75 2"S + GALIT	CS11050201	1
12	HYDRAULIC VALVE DOROT GAL 47 3"F	BY CLIENT	1
13	FLOW CONTROL VALVE DOROT 44 2"S (25m ³ /h)	4512020003-05	1
14	AIR VALVE 2"BSP A.R.I DG-10 PN10 PLASTIC	4501020001-01	1
15	PRESSURE CONTROL HEAD UP TO 10Bar (3/4" CON)	CS11010001	1
16	PRESSURE DOUBLE POINT UP TO 10Bar (3/4" CON)	CS11010002	1
17	CONTROLLER 1-10 DC + 3 SOLENOIDS COMPLETE	CSD1100312100	1
18	SHORT CONTROLLER STAND RAL9005 F/SKID	STD0000003	1
19	PLUG 3/4"BSP PLASTIC	4180076501	1
20	BOLT HEX HEAD 5/8"NC*45 GALVANIZED	4102160301-045	2
21	WASHER 5/8" GALVANIZED	4122160301	2
22	QUICK COUPLING GASKET 2" EPDM	4084020200	1
23	FLANGE GASKET 3" SBR	4083030700	5
24	COMPLETE BOLT FOR 3"FL	SB00030040	5
25	GRAVEL №1 SACK (25kg)	4020022500	14
26	FITTING SET	CS22010000	1
27	COLOR CORRECTION KIT	CS22040000	1
28	PLASTIC BAND SET	CS22020000	1
29	STICKERS SET	CS22050000	1
30	TEFLON ROLL SET	CS22060000	1
31	CONTROL PIPE 8mm	CS22030000	1
32	MANUAL OPERATION	CS22070000	1




23/01/2019 16:54:04

YAMIT
FILTRATION

SITE: WWW.YAMIT-F.COM
E-mail: YAMIT@YAMIT-F.COM
TEL- 972 4 6220006

DWG No 635-02-130-SK-003	SHEET 3 of 4	CAT No 635-02-130-SK-003	REV 01	CREATED DATE 20/01/2019
DESCRIPTION SYSTEM 2*24" GRVL FIL + F130 SKID DIN16 DC 120mi				
CONNECTION FLANGE DIN PN16	CONNECTION THREAD DC	CONTROLLER AviranR	STATUS Approved	
WORK PRESSURE UP TO 8 Bar	FLOW RATE m³/h	FILTRATION GRADE 120 mic	SCALE A4 _ 1:12	DIM mm
APPR MARK ADI		APPR MARK DATE -		
APPR ENG ZakayM		APPR ENG DATE 23/01/2019		



YAMIT
FILTRATION

SITE: WWW.YAMIT-F.COM
E-mail: YAMIT@YAMIT-F.COM
TEL- 972 4 6220006

DWG No	635-02-130-SK-003	SHEET	4 of 4	CAT No	635-02-130-SK-003	REV	01	CREATED DATE	20/01/2019
DESCRIPTION	SYSTEM 2*24" GRVL FIL + F130 SKID DIN16 DC 120mi								
CONNECTION FLANGE	DIN PN16	CONNECTION THREAD		CONTROLLER	DC	DRAWN	AviranR	STATUS	Approved
WORK PRESSURE	UP TO 8 Bar	FLOW RATE	m ³ /h	FILTRATION GRADE	120 mic	SCALE	A4 _ 1:12	APPR MARK	ADI
						DIM	mm	APPR ENG	ZakayM
								APPR MARK DATE	-
								APPR ENG DATE	23/01/2019